








TABLE OF CONTENTS

Ö	PREFACE	
	Word from the manager	4-5
	Our fertilizer	
	Quality assurance	8
	Organic Market	
Ŏ	FORAGE	
	Introduction to Synagri Forage	10-11
	Description of Cultivars	12-19
	Forage Mixtures	20-25
	Optimal Seeding Rates for Synagri Mixtures and Forage Species	25
	Cover crops and Intercrops Mixes	26-36
	Riparian Mix	37
	Species and mixes table	38
	Preservatives	42-43
(19)		
	PRECISION AG	
	Introduction to precision AG	48-49



GROW CROPS DIFFERENTLY

IT REPRESENTS

OUR MISSION



PREFACE







Jocelyn.tousignant@synagri.ca



PREFACE

As you browse through our 2024-2025 guide, you will discover several new features in our forage seed section, designed to keep our portfolio effective and aligned with the current needs of our clients.


I also invite you to explore our section on Synagri IP Soybeans. We are making changes to our marketing approach to offer enhanced local service to our producers.

Our seed offerings go far beyond what is presented in this guide. For many years, we have trusted Dekalb for GMO corn and soybeans. To meet the growing demand for conventional and organic corn, we collaborate with Horizon Seeds and now with the French company Caussade, a global leader in organic corn seed.

It is important to note that Synagri operates its own seed quality laboratory. We ensure that our products meet or exceed the requirements of various industry regulations. A seed bag bearing the Synagri logo is a symbol of quality.

Enjoy reading our 2024-2025 seed guide!

Jocelyn Tousignant, agr. Seed Manager



3 and 5 star Granular

3 and 5 Star fertilizer, more than a high-quality product line.



3 and 5 star Liquid

No compromise when it comes to performance with our 3 and 5 Star liquid starters.



YARA

Yara is a global company involved in the production of innovative and efficient products.




N-POWER BLUE

A unique, synergistic, nitrogenous solution with a less volatile composition.

OUR FERTILIZER


We are committed to developing and distributing high-quality fertilizers that help agricultural producers optimize their yields.

If you are looking to improve the quality and yield of your crops, or if you simply need advice on crop nutrition, feel free to contact your Synagri agent or representative.



Regular

High-quality regular granular and liquid fertilizer.



Amendments

Liming products, leveraging our soils and fertilizer.

QUALITY ASSURANCE

The seed sector is a constantly evolving industry. Increasingly, seeds serve as the primary carriers of new technologies and represent the essence of the varieties we trust. It is essential to establish rigorous quality control measures to ensure complete integrity.

Throughout the production process, our varieties undergo systematic inspection, sampling, analysis, and evaluation of their germination levels. At each stage, they must adhere to the standards outlined by the Seeds Act and the Regulations of the Canadian Food Inspection Agency (CFIA). The Canadian Seed Grower Association establishes guidelines for field production and issues crop certificates. Now, It's SEED CANADA who is representing seed growers, analysts, breeders, distributors, processors, retailers, service providers and all stakeholders along the seed value chain from coast to coast. Synagri actively participates in all these associations to meet the highest quality standards.

Through its accredited laboratory, Synagri offers germination analysis services for the species listed in Tables 1 to 10 and 18.

A high-quality seed is the first guarantee of a successful harvest!

You are aiming for the **ORGANIC** Market!

We offer seeds and products adapted to your needs.

- Cereals
- Forage
- Corn
- Soybeans
- Fertilizers
- Crop protection and health products









Products labelled as GMO-free are gaining traction in the consumer market. Whether from Asia, Europe, or America, many consumers seek information about the origin and traceability of products containing GMOs. At Synagri, we offer a comprehensive portfolio of GMO-free products, including soybeans, corn, grains, and forage

SOYBEANS

For several years, we have been offering a diverse range of conventional Synagri and Belcan soybeans, including GMO-free options. These soybeans cover a range of Corn Heat Units (CHU) from 2,500 to 2,900. All our conventional soybeans can be ordered with or without seed treatment.

CORN

Synagri has enhanced its conventional corn range with the addition of a new supplier, Lidea, via Caussade Semences Pro. Lidea supplies organic corn hybrids and some conventional hybrids. These hybrids are produced in France, in a GMO-free zone, which guarantees 0.1% GMO content, and their standard is 0.01% GMO. Horizon Seeds continues to offer us several high-performing conventional hybrids. Those hybrids are evaluated by various growers in Quebec and Ontario. These non-GMO hybrids perform exceptionally well under our conditions. All seed lots undergo PCR analysis (% GMO) by an accredited laboratory. The results are provided to all producers who request them before seed delivery. This ensures that the future buyers' standards are met, as it all begins with the seed.









FORAGE



christian.duchesneau@synagri.ca





Synagri offers conventional forage seed, pre-inoculated (exclusive legumes) and untreated. They can therefore be used by organic growers too.

They are selected for their persistence, winter survival and disease resistance. They are also harvested and analyzed to determine their nutritional profile (ADF, NDFD, NEL, protein, etc.) and digestibility. And with these results, we can select the best varieties to meet growers' current needs.

These characteristics make our Synagri seeds a high-performance product much appreciated by our growers.

Don't forget that we also offer the full range of conservation products associated with dry hay (PROTECT-FOIN PLUS, TOP-SIL), haylage (SILOSOLVE, MOLD-ZAP and BIO-PLUS), corn silage (BIO-PLUS, TOP-SIL) and for total mixed rations (MOLD-ZAP).



CULTIVARS



STELLAR III Alfalfa... superior yield and quality

- Mid to early maturity
- Multifoliate at 55%
- Superb regrowth maximizes total seasonal yield and quality
- Very fast recovery
- Excellent persistece, winterhardiness and disease resistance package

Fall Dormancy

(1 being the most dormant with less yield and 9 being less dormant with more yield)

Winter Hardiness

1,5

(1 being the most resistant and 6 less resistant)

AAC TRUEMAN Alfalfa... excels in wet soil

- Excellent performance in poor drained soils
- Increased drought tolerance
- Creeping root growth habit
- Dual-purpose Alfalfa that is well suited for both hay and haylage production
- Fast recovery after harvest
- A dark green fine stemmed variety
- Excellent persistence and winter hardiness ratings

Fall Dormancy

(1 being the most dormant with less yield and 9 being less dormant with more yield)

Winter Hardiness

1,5

(1 being the most resistant and 6 less resistant)

DOMINATOR II Alfalfa... for intensive harvest management

- Very fast recovery and accelerated growth for frequent harvest schedules
- Quick canopy closure naturally suppresses weed competition and conserves soil moisture for crop growth
- Excellent persistence, winterhardiness and disease resistance package
- Multifoliate at 60%

Fall Dormancy

(1 being the most dormant with less yield and 9 being less dormant with more yield)

Winter Hardiness

1,8

(1 being the most resistant and 6 less resistant)

WL 344HQ Alfalfa... for its winning qualities

- Multifoliate at 85%
- Early maturing
- Superior digestibility and excellent feed value
- Very efficient in heavy soil
- Excellent forage yield
- Very good winter hardiness
- Highly resistant to root rot (aphanomyces races 1, 2 and 3)

BOOST HG Alfalfa... highly digestible

- Non-genetically modified alfalfa with reduction in total lignin
- Improves animal feed intake by 5–10%
- Multifoliate at 73%
- Excellent persistence
- High leaf/stem ratio produces
 3–5% more protein
- Allows greater harvest flexibility
- Can generate an additional milk production of 1 kg of milk per cow per day

CALIBER alfalfa... all-rounder

- Branched-root alfalfa
- Multifoliate at 50%
- High forage yield in moist or well-drained soil conditions.
- Excellent disease resistance.
- Easily adapts to different growing conditions.

Fall Dormancy

4,4

(1 being the most dormant with less yield and 9 being less dormant with more yield)

Winter Hardiness

1,7

(1 being the most resistant and 6 less resistant)

Fall Dormancy

(1 being the most dormant with less yield and 9 being less dormant with more yield)

Winter Hardiness

1,5

(1 being the most resistant and 6 less resistant) $\,$

Fall Dormancy

(1 being the most dormant with less yield and 9 being less dormant with more yield)

Winter Hardiness

1,8

(1 being the most resistant and 6 less resistant)



		ALFALFA						
		STELLAR III	AAC TRUEMAN	DOMINATOR II	WL 344HQ	BOOST HG	CALIBER	
(O	MATURITY	REM ¹	REM	EM	EM	REM	REM	
STIC	MULTIFOLIATE	YES	NO	YES	YES	YES	YES	
CHARACTERISTICS	FALL DORMANCY	4,02	2.0	5,0	4,4	3,0	4,0	
3ACT	WINTER HARDINESS	1.5³	1.5	1.8	1.7	1.5	1.8	
HAF	MANAGEMENT TYPE	Conventional	Conventional	Intensive	Conventional	Conventional	Conventional	
U	REGROWTH	Very fast	Average	Very fast	Fast	Fast	Fast	
	YIELD	Very high	Good	Very high	High	High	High	
	ANTHRACNOSE	HR ⁴	R	HR	HR	HR	HR	
DISEASE	BACTERIAL WILT	HR	R	R	HR	HR	HR	
DISE	SPRING BLACK STEM	HR	R	HR	HR	HR	HR	
<u> </u>	PHYTOPHTHORA ROOT ROT	HR	R	HR	HR	HR	HR	
	VERTICILLIUM WILT	HR	R	HR	HR	HR	HR	

- MATURITY: EM = early maturing, REM = relatively early maturing
 FALL DORMANCY: from 1 to 9.1 being the most dormant with less yield
 WINTER SURVIVAL: from 1 to 6.1 being the most resistant
 DISEASE RESISTANCE: HR = highly resistant, R = resistant



CULTIVARS



LESTRIS DOUBLE CUT RED CLOVER... unbeatable

- Selected for its excellent winter resistance and forage yield
- Quick to establish
- High ratio leaf/stem
- Mid to early maturity
- A multi-cut (up to 3 cuts a year)
- Exceptional longevity (up to 3-4 years) due to its disease resistance

TUUKKA Timothy... high leaf-stem ratio

- Semi-late maturity
- Fast regrowth
- High forage quality
- Excellent spring vigour
- Tolerance to cold
- High yield variety

DAWN Timothy... excellent regrowth

- Early maturity
- Excellent regrowth
- Very leafy
- Excellent disease resistance
- Excellent as dry hay for horses
- Excellent mixed with alfalfa, clover or orchardgrass





TORSION MEADOW BROMEGRASS... high yield

- This meadow bromegrass is ideal for hay production or grazing
- Torsion has excellent persistence
- Excellent winter survival
- Very fast spring vigor
- 6% higher yield than Fleet

PEAK Smooth Bromegrass... better than candy

- Highest performing in our climatic zones
- Higher yield in hay
- Superior regrowth
- May have a longevity of more than five years
- Its abundant leafiness produces quality hay with high nutritional value, highly appetizing and better digestibility
- It can easily tolerate 3 cuts and a cut of 10 cm in height improves its persistence
- Heads 3-5 days before the earliest Timothy

DIVIDEND VL Orchardgrass... unequalled maturity

- The latest maturing orchardgrass on the market
- This later maturing makes it easier to synchronize with the harvesting of other species
- Good potential yield in combination with alfalfa
- The first signs of maturity show up only in the second week of June
- Its maturity is a great advantage over all other orchardgrasses
- Very slow progression and maturity which lengthen the harvesting period

CULTIVARS

DAUPHINE Tall Fescue... extremely flexible

- Part of a new generation of tall fescues with extremely flexible leaves
- Better palatability and digestibility than other tall fescues
- Remarkable drought tolerance and persistence with excellent regrowth

TETRAX Meadow Fescue... incredible digestibility

- Among the few Tetraploid Meadow Fescues available in Canada.
- Averages over 25 points higher Relative Forage Quality than other Meadow Fescues
- Ideal companion grass for alfalfa, with consistent regrowth in each cut

MELQUATRO Annual Ryegrass... very high yield

- Italian tetraploid type, does not mature the year it is seeded
- Very high yield
- Excellent spring vigor
- Superior growth
- Produces a high-quality forage
- Excellent intercropping choice

ELUNARIA Annual Ryegrass... try it, and you will love it

- A tetraploid annual ryegrass of the westerwold type, does mature the year it is seeded
- A green tall stature plant
- Very good spring vigor
- Mid-late maturity
- Excellent choice if you want to do some frost seeding or spring reseeding
- Provide full-season production and a good regrowth capacity



BELLATOR PERENNIAL RYEGRASS... fast regrowth

- Tetraploid variety
- Superior yield
- A strong and vigorous ryegrass
- Low susceptibility to disease
- Extreme persistence

MAHULENA Festulolium... yield and persistence

- A cross between perennial ryegrass and tall fescue
- A top-yielding variety
- Robust
- Very persistent
- Very good resistance to drought



SIMPLE ALFALFA MIXTURES



SUPERSTAR Mixture

Recommended seeding rate: 17 kg/ha

STELLAR III Alfalfa 50% BOOST Alfalfa 30% CALIBER Alfalfa 10% TUUKKA Timothy 10%

- The combination of 3 alfalfa brings yield, stability and digestibility to this 3-cut mixture.
- Reduce to 11 kg/ha if combined with one of these Mixes (see p.26):
 SUPRA-CUT, EXTRAGRASS +, TWO-BROMEGRASS +, ME 903 or BROM-FEST

PRO-ENERGY Mixture

Recommended seeding rate: 17 kg/ha

WL 344HQ Alfalfa 80% TUUKKA Timothy 20%

- The predominance of the highly nutritional alfalfa improves the forage quality of the mixture
- Reduce to 11 kg/ha if combined with one of these Mixes (see p.26):
 SUPRA-CUT, EXTRAGRASS +, TWO-BROMEGRASS +, ME 903 or BROM-FEST

MAXI-MILK Mixture

Recommended seeding rate: 17 kg/ha

DOMINATOR II Alfalfa 70% DAWN Timothy 30%

- For dairy producers who follow an intensive management program
- Reduce to 11 kg/ha if combined with one of these Mixes (see p.26):
 SUPRA-CUT, EXTRAGRASS +, TWO-BROMEGRASS +, ME 903 or BROM-FEST

DAIRY Mixture

Recommended seeding rate: 17 kg/ha

WL 344HQ Alfalfa 60% TUUKKA Timothy 40%

- The predominance of the highly nutritional alfalfa improves the protein content of the mixture
- A balanced and performing mixture
- Reduce to 11 kg/ha if combined with one of these Mixes (see p.26):
 SUPRA-CUT, EXTRAGRASS +, TWO-BROMEGRASS +, ME 903 or BROM-FEST

VARI-SOIL Mixture

Recommended seeding rate: 17 kg/ha

AAC TRUEMAN Alfalfa 40% WL 344HQ Alfalfa 20% TUUKKA Timothy 40%

- Does well in various, sloping or rocky lands
- Reduce to 11 kg/ha if combined with one of these Mixes (see p.26):
 SUPRA-CUT, EXTRAGRASS +, TWO-BROMEGRASS +, ME 903 or BROM-FEST







Recommended seeding rate 17 kg/ha

DOMINATORAlfalfa45%BOOSTAlfalfa40%DAWNTimothy15%

This 4-cut mix is ideal for growers who use corn silage.

Reduce to 11 kg/ha if combined with one of these Mixes (see p.26):
 SUPRA-CUT, EXTRAGRASS +, TWO-BROMEGRASS +, ME 903 or BROM-FEST

PERFO-ESTRIE Mixture

Recommended seeding rate: 18 kg/ha

BOOST Alfalfa 50%
DOMINATOR II Alfalfa 35%
TUUKKA Timothy 12%
DIVIDEND VL Orchardgrass 3%

- A high-performance blend that has proved its worth in many fields already.
- Reduce to 11 kg/ha if combined with one of these Mixes (see p.26):
 SUPRA-CUT, EXTRAGRASS +, TWO-BROMEGRASS +, ME 903 or BROM-FEST

LACTO-PLUS Mixture

Recommended seeding rate: 17 kg/ha

STELLAR III Alfalfa 70% TUUKKA Timothy 30%

- For a higher digestibility forage
- Reduce to 11 kg/ha if combined with one of these Mixes (see p.26):
 SUPRA-CUT, EXTRAGRASS +, TWO-BROMEGRASS +, ME 903 or BROM-FEST

HORIZON Mixture

Recommended seeding rate: 17 kg/ha

STELLAR III Alfalfa 20% WL344HQ Alfalfa 20% CALIBER Alfalfa 20% TUUKKA Timothy 40%

- A blend of 3 alfalfa brings harvest security to this 3-cut mixture.
- Reduce to 11 kg/ha if combined with one of these Mixes (see p.26):
 SUPRA-CUT, EXTRAGRASS +, TWO-BROMEGRASS +, ME 903 or BROM-FEST

DUALFALFA Mixture

Recommended seeding rate: 17 kg/ha

BOOST HG Alfalfa 25% WL 344HQ Alfalfa 25% TUUKKA Timothy 50%

- The addition of two alfalfa cultivars combines quality, longevity and yield
- Reduce to 11 kg/ha if combined with one of these Mixes (see p.26):
 SUPRA-CUT, EXTRAGRASS +, TWO-BROMEGRASS +, ME 903 or BROM-FEST

ULTRA-HAY Mixture

Recommended seeding rate: 12 kg/ha

STELLAR III Alfalfa 20% TUUKKA Timothy 80%

- Make an excellent hay for horses and combined with other grasses
- Requires an early spring nitrogen application

COMPLEXE ALFALFA MIXTURES

SIMPLE MIXTURES BIRDSFOOT TREFOIL-CLOVERS

BIO-SEM Mixture

Recommended seeding rate: 16 kg/ha

STELLAR III Alfalfa 40%
LESTRIS Red Clover 15%
TUUKKA Timothy 45%

- The contribution of red clover ensures better establishment of alfalfa in difficult soil conditions
- Reduce to 11 kg/ha if combined with one of these Mixes (see p.26):
 SUPRA-CUT, EXTRAGRASS +, TWO-BROMEGRASS +, ME 903 or BROM-FEST



BIO-MAX Mixture

Recommended seeding rate: 14 kg/ha

LESTRIS Red Clover 40% TUUKKA Timothy 60%

- The timothy performs better in the second year where it accelerates fast drying in the field
- Adapts to all types of soil
- Reduce to 10 kg/ha if combined with one of these Mixes (see p.26):
 SUPRA-CUT, EXTRAGRASS +, TWO-BROMEGRASS +, ME 903 or BROM-FEST

TANDEM Mixture

Recommended seeding rate: 14 kg/ha

LESTRIS Red Clover 50%
TUUKKA Timothy 50%

- Highly productive and easy to establish
- Reduce to 10 kg/ha if combined with one of these Mixes (see p.26):
 SUPRA-CUT, EXTRAGRASS +, TWO-BROMEGRASS +, ME 903 or BROM-FEST

VARYLAND Mixture

Recommended seeding rate: 15 kg/ha

STELLAR III Alfalfa 40% LEO Birdsfoot Trefoil 25% TUUKKA Timothy 35%

- Recommended for rolling landscape with variable drainage
- Combination of alfalfa and birdsfoot trefoil results in longer productivity

COMPLEXES MIXTURES: CLOVERS OR GRASSES



SUPRA-CUT Mixture

Recommended seeding rate with a cover crop: 8 kg/ha and 26 kg/ha alone

BELLATORPerennial Ryegrass34%DAUPHINETall Fescue17%TETRAXMeadow Fescue16%DIVIDEND VLOrchardgrass33%

- Best suited for an intensive management
- For an exceptional yield cut after cut

EXTRAGRASS+ Mixture

Recommended seeding rate with a cover crop: 10 kg/ha and 32 kg/ha alone

PEAK Smooth Bromegrass 15%
TORSION Meadow Bromegrass 35%
DAUPHINE Tall Fescue 18%
TETRAX Meadow Fescue 17%
ELUNARIA Annual ryegrass 15%

• A mid-season grass mixture which can be grown with a mixture of alfalfa or red clover

TWO-BROMEGRASS + Mixture

Recommended seeding rate with a cover crop: 12 kg/ha and 20 kg/ha alone

PEAK Smooth Bromegrass 40% TORSION Meadow Bromegrass 60%

- A mixture of a two-brome variety combining yield, quality and palatability
- Smooth bromegrass is erected and meadow bromegrass is leafy with abundant growth

ME 903 Mixture

Recommended seeding rate with a cover crop: 10 kg/ha and 28 kg/ha alone

PEAK Smooth Bromegrass 35%
TORSION Meadow Bromegrass 35%
DAUPHINE Tall Fescue 15%
TETRAX Meadow Fescue 15%

A mid-season grass mixture which can be grown with a mixture of alfalfa or red clover

BROM-FEST Mixture

Recommended seeding rate with a cover crop: 10 kg/ha and 28 kg/ha alone

PEAK Smooth Bromegrass 35%
TORSION Meadow Bromegrass 35%
MAHULENA Festulolium 30%

A mid-season grass mixture which can be grown with a mixture of alfalfa or red clover

PASTUR-2000 Mixture

Recommended seeding rate: 20 kg/ha

Clovers and Timothy: 10 kg/ha Bromegrass and ryegrass (separately): 10 kg/ha

BOMBUS LADINO White Clover 20%
DAWN Timothy 20%
TORSION Meadow Bromegrass 35%
TETRAX Meadow fescue 15%

- A very productive and general-purpose pasture mixture for intensive management
- Very palatable for all types of livestock

		Number of seeds	Pure stand		in asso	ciation
		kg	kg/ha	lb/acre	kg/ha	lb/acre
	EXTRAGRASS +		32	28	10	9
	TWO-BROMEGRASS +		20	18	12	9
	ME 903		28	25	10	9
	BROM-FEST		28	25	10	9
	REED CANARYGRASS	1,200,000	12	10	4-9	3-8
	MEADOW BROMEGRASS	175,000	13	11	5-10	4-9
	SMOOTH BROMEGRASS	300,000	18	16	5-10	4-9
	ORCHARDGRASS	1,450,000	11	10	3-5	3-4
	FESTULOLIUM	250,000	20	16	3-5	3-4
	MEADOW FESCUE	500,000	16	14	6-8	5-7
	TALL FESCUE	500 000	16	14	3-5	3-4
	CREEPING RED FESCUE	1,350,000	0	0	3-6	2-5
سا	TIMOTHY	2,500,000	10	9	5-7	4-6
	SUDANGRASS	132,000	35-40	31-36	10-15	8-13
'	BIRDSFOOT TREFOIL	815,000	10	9	2-7	2-6
4	ALFALFA	500,000	14	12	6-10	5-9
SEEDING RATE	MIXTURE DITCHES AND SLOPES		50	45		
	JAPANESE MILLET	340,000	20	18	8-10	7-9
	PEARL MILLET	155,000	15	13	6-8	5-7
	MUSTARD	220,000	12	10		
	SWICTHGRASS	570,000	10	9		
	KENTUCKY BLUEGRASS	4,800,000	150	133	3-20	2-18
	PHACELIA	517,000	12	10		
	4010 FORAGE PEA	5,000	100	90		
111	FORAGE RADISH	88,000	15	13		
ш	OILSEED RADISH	88,000	15	13		
	ANNUAL OR PERENNIAL DIPLOID RYEGRASS	500,000	20	18	3-5	3-4
70	ANNUAL OR PERENNIAL TRIPLOID RYEGRASS	250,000	35	31	3-5	3-4
UI	INTERCROP ANNUAL RYEGRASS		15	13		
	BUCKWHEAT	33,000	90	80		
	FALL RYE		132	118		
	SORGHUM OR BMR SORGHUM	75,000	35	31	10-15	9-13
	WHITE CLOVER (Ladino, Dutch or Huia)	1,750,000			1-2	1-2
	BERSEEM CLOVER	360,000	14	12	5	4
	BLOSSOM CLOVER	528,000	15	13		
	CRIMSON CLOVER	330,000	20	18	5	4
	RED CLOVER	600,000	10	9	5-7	4-6
	COMMON VETCH	15,500	40	36		
	HAIRY VETCH	35,500	25	22		

24 25 25 26 27 27 25 26



COVER CROPS



In recent years, there have been noticeable changes in cultivation practices within the agricultural industry. One significant change is the increasing use of cover crops.

Agricultural producers are not only focused on achieving high yields and profitability but also on improving the health of their soils. They have recognized the importance of incorporating cover crops into their practices. This involves planting an intercrop alongside corn, soybeans, or cereals, utilizing green manure after harvesting cereals, or implementing riparian strips to minimize water and wind erosion. All these methods contribute to the goal of establishing a vegetal cover before the winter season.

By incorporating cover crops, farmers aim to achieve multiple benefits. These include reducing soil erosion, improving soil fertility, enhancing water infiltration, suppressing weed growth, and promoting biodiversity. The use of cover crops demonstrates a commitment to sustainable and environmentally-friendly agricultural practices.



Overall, the adoption of cover crops reflects a growing awareness among agricultural producers of the importance of preserving and nurturing the long-term health and productivity of their soils.

At Synagri, we have therefore relied on field trials with producers who are investing in these new practices to develop our new cover crop mixtures. Our observations have therefore enabled us to determine which species form the best possible combinations. Depending on your main crop, different mixes are available.

Do you want to increase the quality and structure of the soil, add nutrients? Minimize erosion?

Control weeds?

If the answer is yes, we have got you covered!

THE CHOICE OF SPECIES





Fodder peas are one of the most efficient legumes for producing biomass. Hardy and fast growing, it excels as a green manure. It is fixing nitrogen, in addition to producing a good amount of organic matter, and it is easy to bury. Compared to faba bean, the root mass of the pea is very low. Dried aerial parts decompose very quickly.



Balansa clover

Balansa clover is a fast-growing, nitrogen-fixing annual legume that can survive the winter. It has acidity tolerance and some salt tolerance. It requires less water than other clovers. It thrives in a variety of conditions and offers farmers many benefits: soil health, improved soil structure, reduced compaction and enriched organic matter.









Faba bean

Faba bean is an annual plant with erect stems that can reach 1.50 meters in height. The faba bean has a powerful swivel and fasciculate root system, which deeply structures the soil. It is excellent at fixing nitrogen in the soil. A faba bean field crop can enrich the soil up to 55 kg of nitrogen per acre. It is cold resistant and tolerates poor or clay soils.



Berseem clover

This annual clover grows to a height of 30 to 120 cm. It has a hollow stem, slightly hairy leaves, and a yellowish-white flower. Its germination is like crimson clover, but it tolerates a drier seedbed. It has a short taproot that sits in the top 30 cm of the soil. It prefers loamy and clay soils. It tolerates poorly drained soils and drought better than crimson clover.

Common vetch

It is cold tolerant, grows very well in the fall and starts very quickly in spring. Can be sown in combination with other species, as it is not very competitive at the early growing stage. It provides a very good biomass. It is therefore more than interesting in hilly soils where there is less organic matter. It is an annual plant that does not survive the winter unlike the hairy vetch.





THE CHOICE OF SPECIES



Oats can be established in all types of soils, under all conditions. Its dense and deep root system effectively aerates the soil and helps reduce soil erosion, in addition to helping prevent the presence of weeds. It is a cold hardy annual grass that can be sown late. It is also a good source of carbon, which increases the humus level in the soil.







Annual ryegrass

This annual grass is interesting to sow with a legume. It has a structural root system for the soil that complements that of the legume. Ryegrass loves nitrogen and helps reduce leaching losses. On the other hand, it competes well with nitrogen-loving weeds. This is the most used plant as an intercrop in corn. Remember it can survive a mild winter... especially the biannual Italian type.











Biennial plant with fast regrowth. Perenniality of 2 to 3 years. Tendency to go to seed quickly... Very good tolerance to the drought thanks to its deep root which can reach 1,5 meters of depth. Prefers sandy soil to avoid the risk of root rot. Not very demanding on the pH (from 5,5 to 7). Appreciates organic matter rich soils.



Fall rye

Here is a robust and rustic plant, adapted to all types of soils. It protects the soil from erosion and leaching, sanitizes and structures it. Rye creates a dense vegetation cover that survives the winter. It is buried the following spring before the crops are established. It is growing fast and tolerates frost. It also has an allelopathic effect... which prevents the establishment of other plants, especially a crop like corn. So, be careful with its use in rotations.



Cool Season Biennial. Kale is a leafy bush Brassica broadleaf. It can grow on poor land. The root system helps loosen up the top part of the soil profile. Kale has good salinity tolerance, and will help smother weeds. It has good fall frost tolerance and will tolerate shading. Leaves are large. Drought tolerance is good.









THE CHOICE OF SPECIES



It is an interesting annual plant to use as a green manure, because it has natural nematicide properties. The pivot of its root system is very powerful: it therefore has a very strong restructuring power of soils. Thanks to this pivot, the biomass produced by this radish is much greater than that of mustard, for example, without trapping more nitrogen. Its growth is rapid since its flowering occurs 7 to 9 weeks after sowing. It is less sensitive to heat and drought than mustard, and therefore suitable for early sowing.



Phacelia

Phacelia is a fast-growing plant that is used as a green manure to improve the composition and structure of the soil. Its rapid growth allows it to smother unwanted weeds. Not very demanding on the nature of the soil. It is cold and light frost resistant. Its flowers are very honey and attract many insects. It grows to a height of between 30 and 60 cm.







Ethiopian mustard

The rapid growth of mustard is just one of the qualities that make it an excellent green manure. Its deep roots help to decompact heavy soils and its aerial parts buried in the soil provide it with a first-rate nitrogen supply. Its role as a nematicide is very interesting in plots where potatoes have been grown. Because it grows very quickly and does not fear root competition, it covers the soil without delay and protects it from erosion. A plant can reach 50-80 cm tall in a single month.



OUR COVER CROPS MIXES...

SYN-CO STABILITY mix

- 70% Forage peas
- 10% Forage radish
- 20% Oats

Recommended seeding rate, 85-95kg/ha

This mixture offers stability in the field since these are species that maximize rapid plant cover during their establishment. It is important to bury the mixture before the radish goes to seed otherwise it can become problematic the following year.



SYN-CO BIOMASS

- 95% Forage peas
- 5% Forage radish

Recommended seeding rate: 63 kg/ha

This mixture contains species that establish quickly, provide a large biomass and adapt to cold temperatures to grow later in the season. It is important to bury the mixture before the radish grow into seeds, otherwise it can become problematic the following year.





SYN-CO NITROGEN mix

- 20% Faba bean
- 20% Common vetch
- 10% Crimson clover
- 10% Berseem clover
- 40% Forage peas

Recommended seeding rate, 45-50kg/ha

This mixture is composed only of annual or biannual legumes to promote optimum nitrogen supply. These are plants that will normally be destroyed by winter. It provides a precedent crop for subsequent plants which require a significant need for nitrogen fertilization.



SYN-CO LATE mix

- 92% Oats
- 8% Forage radish

Recommanded seeding rate, 54 kg/ha

This mix is ideal when there are less than 6 weeks left in the growing season. It allows the recovery of fertilizing elements and the recovery of organic fertilizers. The removal of unused nitrogen is done quickly and in large quantities. Rapid growth and high biomass production.



- 20% Daikon Radish
- 20% Forage Kale
- 20% Fodder turnip
- 20% Brassica
- 20% Yellow mustard

Recommended seeding rate: 8 kg/ha

This all-brassica blend offers rapid growth and dense coverage. The root system of brassica is particularly suited to improving the top layer of soil. Brassica help improve soil fertility.



OUR INTERCROP MIXES

OUR RIPARIAN MIX

Why intercrops?

EROSION UP TO 100%



NITROGEN LOSS PHOSPHORUS LOSS UP TO 70%

UP TO 86%

RUNOFF UP TO 78%





SYN-CO INTER DUO

- 44% MELQUATRO annual (italian type) ryegrass
- 56% Balansa clover

Recommended seeding rate, 20kg/ha

This mixture contains ryegrass which helps structure the soil, promotes better bearing capacity for machinery and tolerates flooding. As for clover, it provides a source of nitrogen for the next crop, it tolerates drought, controls weeds, promotes soil biodiversity and is normally destroyed by winter. An economical mix...

SYN-CO INTER TRIO

- 24% MELQUATRO annual (italian type) ryegrass
- 58% Balansa clover
- 18% Forage radish

Recommended seeding rate, 20kg/ha

This mixture contains ryegrass which helps structure the soil, promotes better bearing capacity for machinery and tolerates flooding. Clover provides a source of nitrogen for the next crop, is drought tolerant, controls weeds, promotes soil biodiversity, and is normally destroyed by winter. As for the forage radish, it promotes water infiltration (aerates the soil), stores nitrogen and helps control weeds. A complete mix ...



SYN-CO RIPARIAN

- 30% Creeping red fescue
- 10% Kentucky bluegrass
- 20% Timothy
- 10% Alsike clover
- 10% Annual ryegrass
- 20% Perennial ryegrass

Recommended seeding rate, 40 kg/ha

A riparian strip is much more than a simple collection of herbaceous and woody plants. It generates many ecological and economic services. In fact, it controls erosion, filters pollution, and it is an efficient ecosystem that welcomes flora and fauna. It also serves as a visual landmark in the landscape and helps to reduce certain costs. Undertaking the restoration of a riparian strip is no small feat. Indeed, it is one of the most important actions to ensure the water quality of lakes and rivers.





TABLES

Species table

Legend:

Legend: E = EXCELLENT VG = VERY GOOD G = GOOD A = AVERAGE P = POOR	Annual ryegrass	Fall rye	Radish	Mustard	Balansa clover	Berseem clover	Common vetch	Faba Bean	Forage pea	Phacelia	Oats	Chicory	Kale
Seeding rate (kg/ha)	4-25	25-132	8-15	5-12	7-20	7-14	11-40	40-200	20-100	5-12	17-70	5-6	8-15
Dry matter (t/ha/yr)	2,2-10	3,4-11	4,5-8	3,4-10	3-4	3,5-4,5	4,5-9	6-7	4,5-5,6	1,2-4,5	4-5	8-16	4-8
Nitrogen fixers					VG	E	Е	E	Е				
Nitrogen recovery	VG	E	E	VG	Α	G	G	Р	Α	E	VG	Е	E
Soil builder	VG	Е	VG	VG	Е	VG	Е	E	G	Е	VG	Е	VG
Erosion control	VG	E	VG	VG	VG	VG	G	G	VG		Α	Е	VG
Weed suppression	VG	Е	Е	VG	VG	VG	Е	G	G	Α	Е	Е	Е
Allelopathic effect	G	Е	VG	VG			G		Α	Р	TB		VG
Quicker growing	VG	Е	VG	VG	Α	Α	VG	G	VG	Α	Е	Е	VG
Flood tolerant	VG	G	Α	Α	G	G	G	Α	Α	Р	Α	Р	Α
Drought tolerant	Α	Е	Α	VG	G	Α	VG	G	G		G	Е	Α
Decreasing compaction	G	Α	E	Α	G	G	VG	G	Α	Р	Р	Е	E
Frost tolerance	-8ºC	-15°C	-15ºC	-7°C	-13ºC	-13ºC	-15°C	-5°C	-9ºC	-7°C	-3°C	-3ºC	-18ºC
Small box			Х	Х	Х	Х				Х		Х	Х
Brome box	Х												

Note: The seeding rate varies depending on whether sown in combination or in pure

Mixes table


Legend: E = EXCELLENT VG = VERY GOOD G = GOOD A = AVERAGE P = POOR	Syn-Co stability	Syn-Co nitrogen	Syn-Co inter DUO	Syn-Co inter TRIO	Syn-Co riparian	Syn-Co biomass	Syn-Co late	Syn-Co Brassica
Seeding rate (kg/ha)	85-95	45-50	20	20	40	60	54	8
Nitrogen fixers	VG	Е	G	G	Р	Е	Р	Р
Nitrogen recovery	G	Α	G	VG	Α	Α	VG	Е
Soil builder	G	VG	Е	VG	VG	G	VG	Е
Erosion control	VG	VG	VG	VG	Е	TB	G	TB
Weed suppression	G	VG	VG	Е	G	G	Е	Е
Allelopathic effect	G	Α	G	VG	G	Α	VG	TB
Quicker growing	VG	G	G	VG	G	VG	Е	Е
Flood tolerant	Α	G	G	Α	G	Α	Α	M
Drought tolerant	G	G	G	Α	Α	G	G	M
Decreasing compaction	Α	G	G	VG	G	Α	Α	Е
Frost tolerance	-9ºC	-10°C	-10°C	-12ºC	-5ºC	-10°C	-9ºC	-15°C
Small box		Х	Х	Х	Х			Х
Brome box			Х	Х	Х			
Box drill	Х	Х				Х	Х	


Stack the deck in your favour.

The Stacked Cereals™ lineup is your winning strategy for high performing wheat, barley and oats.



Megafol® liquid foliar biostimulant helps mitigate abiotic stress caused by drought, heat, low temperatures, and physical damage.





Moddus® plant growth regulator reduces the risk of lodging, keeping your crops standing upright until you're ready to harvest.

> Miravis® Ace fungicide is effective in managing fusarium head blight (FHB) as well as leaf diseases that occur later in the season







Our Syngenta Commitment

At Syngenta, we want to thank you for your business this season and wish you a successful harvest.

Our dedicated team is committed to helping you grow a higher quality crop with innovative crop protection products and agronomic advice tailored to your farm.


Whatever the season brings, we'll be there with the solutions and support you need.






The composition of solid and liquid manure may not always align with the specific nutrient requirements of forage plants. To maintain soil fertility, balance, and ensure optimal growth and high-quality yields, the use of synthetic fertilizers becomes necessary. Synthetic fertilizers provide forage plants with the essential nutrients they need to thrive. In particular, the use of starter fertilizers is crucial for the success of forage crops. When plants are already established, they have an early demand for nutrients, especially during the spring season. However, during this time, the soil tends to be cold and wet, which limits its capacity to supply nutrients to the plants. This is where starter fertilizers come into play, providing the necessary nutrients directly to the plant's roots, bypassing the limitations of the soil conditions.





STARTERS IN FORAGE PLANTS


ALFALFA FERTILIZATION TESTS IN THE ESTRIE REGION, 2010. YIELD (KG/HA) AT THE 2ND CUT



Input after 1 application (after the 1st cut)


FERTILIZATION TESTS ON A 60% GRASS AND 40% LEGUMES (CLOVER) PRAIRIE, LAC-SAINT-JEAN, 2014 AND 2015

Yields (MT/ha) according to the treatments




Input of a spring application

GRASS FERTILIZATION TESTS IN THE ESTRIE REGION, 2008. YIELD (KG/HA) AT THE 2ND CUT



Input after 2 applications (in the spring and after the $\mathbf{1}^{\text{st}}$ cut)

PROGRAM COMPARISONS (5* VS. REGULAR). TOTAL YIELDS AFTER FOUR CUTS IN SAINT-ALBERT, 2016.



Input after 3 applications (after 3 cuts)



PRESERVATIVES

PROTECT-FOIN PLUS... for dry hay or silage

Protect-Foin Plus is a 70% buffered organic acid (56% propionic and 16% acetic). It is a liquid mold inhibitor for legume and grass hay with high moisture content. It is non-corrosive. It helps reduce heat build-up and mold in pressed hay between 20% and 35% humidity when used as directed.

Recommendations						
% moisture	Small Bales	% moisture	Large Square or Round Bales			
16 - 19	3 liters/TM	15 - 18	3 liters/TM			
20 – 24	5 liters/TM	19 – 22	6 liters/TM			
25 – 29 10 liters/TM						
The density is 1.065 kg per liter						

Seal the silage silo (last 15-20 MT) by adding PROTECT-FOIN PLUS (5 L/ton) on the top of the silo. Protect-Foin Plus is available in 20, 200 and 1,000 kg formats.

BIO-PLUS... for silage

200 g water soluble or 20 kg granular product (treats 40 MT of corn silage or 20 MT of grass silage). It's a unique and natural non corrosive product that combines 3 lactic bacteria and 3 enzymes.

A HOMOFERMENTATIVE inoculant

- Produces only lactic acid
- Lowers pH very quickly by preserving all sugars and producing very little heat
- Minimizes the loss of dry materials
- Improves the digestion of forage

MOLD-ZAP... for total mixed rations (TMRs) and silage

This is a unique mix of propionic and other buffered organic acids that blend to form a powerful mold inhibitor in TMRs and preserved foods.

The MOLD-ZAP:

- Reduces the heat caused by mold in TMRs, in coated feed and in silage exposed to air
- Improves savour thanks to its natural lemony taste
- Improves the quality of ingested feed
- Reduces waste in animal feed
- Helps reduce losses in animal production

APPLICATION RATE

1 kg/ton of finished feed (maximum 2 kg/ton in a TMR)
To seal the silo (the last 15 to 20 tons) add MOLD-ZAP (3 kg/ton)



Our SiloSolve® silage inoculant portfolio at a glance



			a
	SiloSolve ^{MD} MC	SiloSolve ^{MD} AS	SiloSolve ^{MD} FC
Purpose	Microbial Control	Aerobic Stability	Fungal Control
Uses	Ideal for a range of crops, ideally those that are difficult to ensile (alfalfa) at lower DM (higher moisture) prone to Clostridic fermentation	Ideal for crops at higher DM (lower moisture) prone to heating at feedout due to yeasts and molds	Ideal for a broad range of crops, especially those that may be fed out early and require aerobic stability at feedout
Features	Fast starterStrong finisherPatented Clostridia inhibition	Fast starterStrong finisherNovel <i>L. buchneri</i> strain	Fast starterStrong finisherOxygen scavenging LABNovel <i>L. buchneri</i> strain
Benefits	 Fast and efficient fermentation Improved dry matter recovery Reduced ammonia nitrogen 	Fast and efficient fermentationAerobic stability	 Fast and efficient fermentation Improved dry matter recovery Aerobic stability Early feedout Superior mold and yeast inhibition
Crops	AlfalfaGrass/CloverCorn silageBarley silage	• Corn silage	AlfalfaGrass/LegumeCorn silageBarley silage
Strains/ Contents	 Enterococcus faecium Lactobacillus plantarum Lactococcus lactis	 Enterococcus faecium Lactobacillus plantarum Lactobacillus buchneri	Lactobacillus buchneri Lactococcus lactis
Dose	2g/treated ton - 150,000 cfu per gram of forage	2g/treated ton - 150,000 cfu per gram of forage	2g/treated ton - 150,000 cfu per gram of forage
Application Rate	2 g/treated ton	2 g/treated ton	2 g/treated ton
Packaging	• 200 g canister (100tt) • 1000 g canister (500tt)	• 200 g canister (100tt) • 1000 g canister (500tt)	• 200 g canister (100tt) • 1000 g canister (500tt)

Inoculant Quick Tips

- ✓ Use: Carefully read and follow all label directions for optimal use and performance.
- Storage: Store in original unopened canister in a cool, dry location. Once opened, maximize shelf-life by storing in a refrigerator with lid tightly closed.
- ✓ Water quality: If you can drink it, it is acceptable for inoculants.
- ✓ Water temperature: Maintain water temperature below 100°F for optimal effectiveness.
- Once mixed, discard unused inoculant after 48 hours.
- ✓ Rinse applicator well between uses.
- Clean and sanitize applicators regularly, especially before storage.
- Refer to the Chr Hansen Inoculant Handling Guide for more information.

PRESERVING THE QUALITY OF DRY HAY

Investing in the conservation of your hay is important. The vagaries of weather, namely the drought periods in recent years, have led to fodder shortages; hay is scarce, and this has an impact on its price. It is therefore important to properly store all harvested hay.

During baling, the application of buffered organic acids (a mixture of propionic and acetic acid) such as Protect-Foin Plus allows you to harvest hay with a few more humidity points. These additional humidity points provide a larger harvest window while ensuring high-quality hay.

Protect-Foin Plus slows down the development of mould as well as temperature increases in hay bales. This limits the loss of soluble sugars and reduces the amount of dust in the dry hay.





The mold inhibitor PROTECT FOIN PLUS stops the development of mold and the production of toxins, it also preserves the quality of your forage.

Protect Foin Plus reduces the risk of heating and dustiness.




PROTECT-FOIN PLUS **MOULD INHIBITOR CONTAINS 56% PROPIONIC ACID** AND 14% ACETIC ACID.

According to Dan Undersander, the two most effective organic acids in maintaining fodder quality are propionic and acetic. He recommends using a mould inhibitor that contains a significant amount of propionic acid.1

- 1 Undersander, Dan, Hay Desiccants and Preservatives. University of Wisconsin Extension Cooperative, Agronomy Advice FC 12.4.1, revised July 1999. 2 Baron, V. S., and Greer, G. G., 1988. Comparison of Six Commercial Hay Preservatives Under Simulated Storage Conditions. Can. J. Anim. Sci. 68: 1195–12

In a study carried out by researchers at Agriculture and Agri-Food Canada in Lacombe, Alberta, six preservatives were laboratory tested in dry hay, including three concentrations of propionic acid, an inoculant, salt, and a liquid inoculant (a mix of lactic acid, etc.). Several parameters were measured such as temperature rise and mould growth. The researchers observed the lowest mould-growth and temperature increases with buffered propionic acid.² They used a mould index to assess the effectiveness of different additives: the higher the index (close to 10) the less mould in the hay.

Comparison of Six Mould Inhibitors -AAC, Lacombe, Alberta



Protect Foin Plus allows you to press the hay at a slightly higher humidity level while avoiding temperature rises and preserving its nutritional properties. Mould produces mycotoxins like aflatoxin, vomitoxin, and zearalenone. The presence of these toxins can cause problems in terms of reproduction, consumption, and immune response. The addition of Protect-Foin Plus mould inhibitor stops mould growth and toxin production, in addition to preserving fodder quality.

MAXIMUM PERCENTAGE OF HUMIDITY FOR OPTIMAL CONSERVATION

Type of Bale	Maximum Percentage of Humidity Without Protect-Foin Plus*
Small square bale	18%
Small tight square bale	15%
Round bale	14%
Large square bale	12%

^{*}Below 25% humidity, each dry matter point causes a loss of 1% of leaves. It is strongly recommended to apply Protect-Foin Plus when the percentage of humidity for each type of bale exceeds that indicated in the table.



THE HERBICIDE EQUIVALENT OF A SNEAK ATTACK.

Introducing residual control for corn that's unlike any other.

This is no ordinary residual. Surtain™ herbicide is a first-of-its-kind formulation that unleashes a sneak attack on broadleaf and grassy weeds in corn. Applied from pre- to early post-emerge, this powerful combination of Group 14 and 15 chemistry offers residual endurance, making Surtain an excellent tank-mix partner. And when it strikes, emerging weeds won't know what hit them. Visit agsolutions.ca/surtain to learn more.

Surtain[™]
Herbicide

■ BASF
We create chemistry

PROUD TO This shirt has stories to tell. About amazing yields, once-in-a-hundred year storms and getting the last acre of seed in before the weather turns. It's been there for you. And so has the name on the front. DEKALB® will never stop delivering high-performing corn and soybean seed with the advanced genetics and traits you depend on, all backed by Bayer. No wonder it's the brand farmers are most willing to recommend* DEKALB.ca | 1 888-283-6847 | @DEKALB_Canada | @Bayer4CropsCA * Source: Stratus Ag Research (2024) Bayer, Bayer Cross, DEKALB and Design® and DEKALB® are registered trademarks of Bayer Group. Used under license. ©2025 Bayer Group. All rights reserved.

Always read and follow label directions.

AgSolutions is a registered trademark of BASF; SURTAIN is a trademark of BASF; all used under license by BASF Canada Inc. © 2024 BASF Canada Inc.



PRECISION AG



Precision agriculture is a farmland management principle which aims for the optimization of yields and investments according to the environmental variabilities. The ultimate objective is to increase yield with the same surface of land: less pesticides, less fertilizers, less seeds, less fuel, and less hours of labour to obtain the same harvest.

Stéphane Gagnon, agr. Agronomic Data Manager stephane.gagnon@synagri.ca



We are experts who can help you improve your land's profitability.

Contact your Synagri representative for more information on our services.



GPS Soil Analyzes

Wintex hydraulic probe Standard 6-inch sample depth



Soil Analyzes

Comprehensive and easy-to-understand analysis report



Georeferenced Mapping

Comprehensive visual report of the state of field fertility



Recommendations for

Lime and Variable-Rate Fertilizers



Recommendations for Nitrogen and Variable-Rate Seedling



Digital Farming Management Platform

Agronomic management of your fields with our representatives and experts in digital agriculture



THE MORE YOU KNOW, THE BETTER YOU'LL GROW.



Turn smart farming today, into even smarter farming tomorrow. FieldView™ gives you the tools you need to analyze yield data and turn this year's harvest data into actionable insights for next year, to help you make the most of every season to come.

With FieldView, IT'S ALWAYS KNOWING SEASON.



VISIT CLIMATEFIELDVIEW.CA TO LEARN MORE.

Services and products offered by Climate LLC are subject to the customer agreeing to our Terms of Service. Our services provide estimates or recommendations based on models. These do not guarantee results. Consult with your agronomist, commodity broker, or other industry professional before making financial, farming, or risk management decisions. More information at https://climatefieldview.ca/legal/disclaimer. FieldView* is a trademark of Climate LLC, Bayer CropScience Inc. Licensee. @2025 Bayer Group. All rights reserved.



Increase your average yields in corn with BioSYN+ biostimulant

↑ 5.0% **○** 11.4^{bu/ac} **↑**

Increase your net income * (based on a corn price of \$5.85/bu)

56\$/aC
*Including the cost of the produc

FARM ACRES IN CORN	ADDITIONAL BUSHEL YIELD	NET ADDITIONAL INCOME
Based or	90 bu/ac	
100	1 140	\$5 669
250	5 700	\$28 345
500	11 400	\$56 690
1 000	28 500	\$141 725

Corn price set at \$5.85/bu




BioSYN+

It is mixed with our superior quality liquid fertilizers

Powered by




GUARANTEE UNIFORM
DISTRIBUTION AND COVERAGE



BioSYN+


FORMULATED WITH BACTERIAL STRAINS
THAT PROMOTE PLANT GROWTH

THE TECHNOLOGY THAT MAKES BIOSTIMULANT AVAILABLE TO EVERY PLANT



Ease of application – no special storage conditions

Corn yields obtained from field trials



BioSYN+ improves

- Root development
- Plant vigor
- Yield potential and harvest quality
- Return on fertilizer investment



Knowledge grows



Yara's combination of agronomic knowledge, digital tools and high-quality crop nutrition solutions enable us to support farmers worldwide, optimize yields, produce healthier crops, and enhance soil health.



Yara collaborates with partners to support local growers by delivering solutions that improve nutrient and water use efficiency, advocate for 4R nutrient stewardship and by sharing our more than 100 years of knowledge in crop nutrition.



For more than 10 years, we committed R&D resources to build biostimulant solutions backed by 55 years of formulation knowledge, ensuring the products are safe, effective, easy to use, and will contribute to a resilient food system.



Our global ambition is to grow a nature-positive food future through climate neutrality, regenerative agriculture and grower prosperity.

Contact your Yara representative to partner today.

Jerome Blouin, Agr., MBA
Regional Sales Manager - Quebec
418-929-9914
Jerome.Blouin@yara.com

Nody Civil, M.Sc.
Sales Agronomist – Eastern Canada
450-746-2498
nody.civil@yara.com



Learn more at Yaracanada.ca



Synagri (head office)

5175 Laurier Boulevard East Saint-Hyacinthe, QC J2R 2B4 1 866-Synagri

South Shore Region

22 Des Engrais Street Mont-Saint-Grégoire, QC JOJ 1KO 450-346-5384

Québec Region

90 Des Grands-Lacs Street Saint-Augustin-de-Desmaures, QC G3A 2K1 418-878-1247

North Shore Region

2780 Haut-de-la-Rivière Rural Road Sainte-Élisabeth, QC JOK 2J0 450-752-1081

East Ontario Region

13306 County Road 9 Chesterville, ON KOC 1H0 613-448-2318